0057624 ///30



Lionville Laboratory, Inc. VOA ANALYTICAL DATA PACKAGE FOR TNUHANFORD B99-093 H1730

DATE RECEIVED: 03/26/02

LVL LOT # :0203L264

CLIENT ID	LVL #	#	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
D1 4 601					02 (25 (22		
B14C91	001	M1		02LVH129	03/25/02	N/A	04/04/02
B14C91	001 N	as M1	so	02LVH129	03/25/02	n/a	04/04/02
B14C91	001 א	usd M1	SO	02LVH129	03/25/02	N/A	04/04/02
B14C92	002	M1	SO	02LVH129	03/25/02	N/A	04/04/02
B14C93	003	M1	so	02LVH129	03/25/02	n/a	04/04/02
B14C94	004	M1	so	02LVH129	03/25/02	N/A	04/04/02
B14C95	005	M1	so	02LVH129	03/25/02	N/A	04/04/02
B14C96	006	M1	so	02LVH129	03/25/02	N/A	04/04/02
LAB QC:							
VBLKRA	MB1		S	02LVH129	N/A	N/A	04/04/02
VBLKRA	MB1 E	3S	S	02LVH129	N/A	N/A	04/04/02





Client: TNU-HANFORD B99-093

LVL #: 0203L264

SDG/SAF #: H1730/B99-093

W.O. #: 11343-606-001-9999-00

Date Received: 03-26-2002

GC/MS VOLATILE

Six (6) solid samples were collected on 03-25-2002.

The samples and their associated QC samples were analyzed according to criteria set forth in Lionville Laboratory OPs based on SW 846 Method 8260B for Carbon Tetrachloride on 04-04-2002.

The following is a summary of the QC results accompanying these sample results and a description of any problems encountered during their analyses:

- 1. All results presented in this report are derived from samples that met LvLI's sample acceptance policy.
- 2. The required analysis holding time was met.
- 3. Non-target compounds were detected in the samples.
- 4. All samples were analyzed medium level and required an additional 10 to 50-fold dilution due to high levels of the target compound.
- 5. All surrogate recoveries were within EPA QC limits.
- 6. The matrix spike recoveries were within EPA QC limits.
- 7. The blank spike recovery was within EPA QC limits.
- 8. Internal standard area and retention time criteria were met.
- 9. "I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

J. Michael Taylor

President

Lionville Laboratory Incorporated

som\group\data\voa\tnu-hanford\0203-264.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 1 0 pages.

02

GLOSSARY OF VOA DATA

DATA QUALIFIERS

- U = Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E = indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D = Identifies all compounds identified in an analysis at a secondary dilution factor.
- l = Interference.
- NO = Result qualitatively confirmed but not able to quantify.
- N = indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Y Additional qualifiers used as required are explained in the case narrative.



GLOSSARY OF VOA DATA

ABBREVIATIONS

BS	-	Indicates blank spike in which reagent grade water is spiked with the CLP matrix spike solutions and carried through all the steps in the method. Spike recoveries are reported.
BSD	-	Indicates blank spike duplicate.
MS	•	Indicates matrix spike.
MSD	**	Indicates matrix spike duplicate.
DL	***	Suffix added to sample number to indicate that results are from a diluted analysis.
NA	•	Not Applicable.
DF	**	Dilution Factor.
NR	=	Not Required.
SP, Z	=	Indicates Spiked Compound.



TECHNICAL FLAGS FOR MANUAL INTEGRATION

Manual quantitation modifications or integrations are performed routinely to improve the data quality for a variety of technical reasons. Documentation of these modifications should be clear and concise. The following "flags" are used to indicate the technical reasons for quantitation modifications:

- MP Missed Peak: manually added peak not found by automatic quantitation program.
- PA Peak Assignment: quantitation report was changed to reflect correct peak assignment.
- RI Routine Integration: routine integrations are performed for some analytes that are consistently integrated improperly by the automatic integration programs. Examples are the dichlorobenzene isomers on the VOA packed column and benzo(b)fluoranthene/benzo(k)fluoranthene which are poorly resolved on the BNA column.
- SP Split Peak: the automatic integration improperly split the peak; a manual integration was performed to get the correct area.
- CB Coelution/Background: peak was manually integrated to eliminate contribution from coeluting compounds, background signal, or other interference.
- PI Proper Integration: a peak with poor or inconsistent integration (e.g., excessive tail) was properly integrated manually.

1.-WI-035/a-mi-10/00



Lionville Laboratory, Inc.

Volatiles By GC/MS, Special List

Report Date: 04/08/02 16:36

RFW Batch Number: 0203L264 Client: TNUHANFORD B99-093 H1730 Work Order: 11343606001 Page: 1a

1300

	Cust ID:	B14C9	L	B14C9	1	B14C9	L	B14C92	2	B14C93	3	B14C9	4
Sample	RFW#:	003	L	001 Ms	3	001 MS	0	002	2	003	3	00	4
Information	Matrix:	SOLID		SOLID		SOLID		SOLID		SOLID		SOLID	
	D.F.:	95	. 2	95.	. 2	95	. 2	47	. 6	42.	. 1	20	.5
•	Units:	UG/I	KG	UG/1	KG	UG/I	KG	UG/1	KG	UG/I	(G	UG/	KG
	Level:	MED		MED		MED		MED		MED		MED	ı
1.2-D	ichloroethane-d4	94		102	ક	104	왐	97	¥	97	*	94	*
Surrogate	Toluene-d8	98	*	95	웋	96	ક	95	¥	96	*	95	왐
Recovery Br	omofluorobenzene	85	% fl	96	ቴ ==fl	96	∦ ==£1	88 ========	% ==f1=:	90	% ==fl=:	86	% ===f`
Carbon Tetrachlor		650000		78	*	75	*	440000		410000		230000	
	Cust ID:	B14C9	5	B14C9	6	VBLKRA		VBLKRA BS		<u> </u>	•		
Sample	RFW#:	00:	5	00	6	02LVH129-	MB1	02LVH129-1	MB1				
Information	Matrix:	SOLID		SOLID		SOIL		SOIL					
	D.F.:	2.	00	95	.2	2.	00	2.	00				
	Units:	UG/	KG	UG/	KG	UG/	KG	UG/	KG				
	Level:	MED		MED		MED		MED					
1,2-	ichloroethane-d4	94	*	98	¥	97	¥	100	*				
1,2-D Surrogate	ichloroethane-d4 Toluene-d8	94 94	* *	98 97	*	97 95	r r	100 96	*				

1200000

620 U

101 %

Carbon Tetrachloride

*= Outside of EPA CLP QC limits.

Lionville I	aboratory	Use	Only

02031264

Custody Transfer Record/Lab Work Request Page 1 of 1

PIELD PERSONNEL: COMPLETE ONLY SHADED AREAS



	<u>, , , , , , , , , , , , , , , , , , , </u>													<u> 71</u>										- 1			1	
ЦΔ	J.Ford	1 3	DAE	B99-	093	1914年20日			Refrig	jerat	OF #			ı					215.1	<u>ا</u> دهر پر	_							
	الحكادة				建设是				#/Tun	e Co	ntalne	,	quid.	1,5 (1) 10 (1)4,		is South				45 % S K					1		ve tro	evi kul
		343.	606	- 00 L	419	9-00	1.00		-n 17P			· E	old	(AL-	建さ						(4. S)		2.22.11 9.00.00				\$ 1. 5 1.	
	APIEN	ALA CONTRACTOR	414.45		420	de la company	\$ 100		Volur	nė.		نسل	lq.ld		*#		4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					1					
		roject M		24		οΣ						_ -	solid'	25)	Age Sign	- A	3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	7 JA 3	Video Title				. 30			西 斯斯斯		
٥٤٤		<u> </u>	4)	TAT	: 3c	رههای			Pres	ervat	ives		* •		OBC	ANIC	(† 4)	法			INC	RG			180	Art.	N.	
						-			ANA				_	₹	1		ę				Metal	8		13.7		J. Mark	使	
.'d	3-20	-0 L	Da	nte Due _		4-25	-02		REQ	UES	TED			Ş	BNA	Pes	五			W.		l]	Apr 403	1			1
5 N							Mat			Т							<u>. !</u> .	· ·			porate	ory Us	e Only		, +	1		ī
Organia Marija	Lab					"!"	Cho	eeu,	Metr	,	Date Collect	1	lme	\ <u>\</u> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					1						1	'		
ient				r HT. F. GOCT,	paon		(*	1		_	Collect	ed Cor	10 CHO	23.4														
							MS	MSD	#13 ft -1	. Zinis	****			lo H	기 하 기 기) -[3](8)	i Filales			17.00		Tin/Wi	1 (1) (1)	1			
	∞ 1	319	4C	7/		24254 F 2 23 232			2	0	3.25°	7.7	0.00		2 VA	2 444		5 ija.		7 3 Sec.	1937	, (1)		st.	19.20		12 5 6 2 13 5 6 2	1 1
	202			92	The state of the			1999	10			1	020	£3						× .	4 1. 27 - 3				3 30 2 17 32	1	8.00 2.000	
٠	03		44 2	<i>93</i>		2572	Ha Žadi					16	<u>25</u>		3	1 1 1 N				1200 1200 1200 1200 1200 1200 1200 1200	31					1		12.4
pi .	004			94		A SECULAR	, A.	(34)) 1	2 2	10	<u> 35</u>) Bright	-						
•	005			95				3.45 34.6		u P.		SHEWS IN FOR	45		<u> </u>				e Propinsi Si Propinsi Propinsi		in di							
	006			96				6	V "			* 14	155	•	9 649	2			18					* *	1.00 v	1 2 2	1	1
						and the second	3.		1,				主张		A			1.5		1.2					2			
				TAU DAD			2× 2			2			alaning Santan Santan						: 17.11 K.2 : 12.1			1						
			Acceptance		有人的的 名。连一会																. 10 00. 21 20 1 10 50					- 35.85 1 - 30.0		
			24		A STATE OF THE STA					8-7	ý												<u> </u>					
estruc	tions:		SAF	# B9	9-09	3		DATE	/REV	SION	is:										F		Lion	rille Lal		y Use (
										— ¹	1												s were	_ or		iamper Re I) Prese		
k -	Carb	Tet	rackk	or at						_:	2								n have		- j ,	Hand D)elivered	· —	•	Package	Y	or N
									<u>. </u>	:	3										-	Airbill #	(Ke	Tes.	<u>،</u> ۱	2) Unbro Package	ken or	n Outl or N
		•		. 1	Λ.						4							-				•	ent or			3) Prese	int pp \$	Samp
		R	um Ir	latrix	WC						.												eived in ion 27			41 Haba	•	or 1 -
				^	•						·										1	4) Sarr	nples			4) Unbri Sample	Q o	r N
	. 1			т		一 一	Relinqu	احدادا			6	ved	T		T.		٦٢	lecrene	ncies B	ohwaan		Proper	iy Prese ∕∕?)	erved or N		COC R		
quishe by	ed	Received by		Date	Tim		pi				by		ΔÞ	Date G		Time	_∐s	amples	Labels	and	5	5) Rec	eived V			Upon S	" "	or N
	1/	6/	Z 3	2602	9/4	引「		CON	1PO	SIT	E							oc ra otes:	cord? Y	ot (7)	V	Holdin	g Times	or N		Cooler Temp	4	•
14/	-45	per (-/-	 	-/ <u>/</u> -			W	/A\$	Œ		1	रप्	VRI	1	- 14		101	800	7 A/	· 4	70		,,				

Bechtel Hanfor	rd Inc.	CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST B99-093-42 Page 1						Page 1	of 2			
Collector Doug Bowers		Сотр	nay Contact jinja Rohay	Telepho 372-9	ne No.			Project Coordinator TRENT, SJ	Price Co	de 9N		rnaround
Project Designation 200-ZP-2 Passive Soil Vapor	Extraction - Other Solid		ing Location West					SAF No. B99-093	Air Qu	ality 📋	45	Days
Ice Chest No. ERC	1-01-06	3 Flets I	ogbook No. 1562-1		COA R20Z	A P2DP60		Method of Shipment Federal Express				
Shipped PO TMARECRA			Property No.	Ø20	514			Bill of Lading/Air B	INO.	OSOY	7	
POSSIBLE SAMPLE HAZA Samples did not originat radiological controlled a	res. No		Preservation	Cool 4C								
total activity associated sample/samples. Special Handling and/or i	21		Type of Container	¢G								
	0		No. of Container(s)	1	l	ไ	<u>L</u>	_	_		T	
			Volume	250mL								
SAMPLE ANALYSIS SAMPLE OF COMMERCE OF COM					.							
Sample No.	Matrix *	Sample Date	Sample Time									
B14C91	OTHER SOLID	-35-02	1010	Xi				wig-6				
314C92	OTHER SOLID	- 712-03	1000	ĬΧ			T	W18-7				
314C93	OTHER SOLID	. 21.02		X				W840				
314C94	OTHER SOLID	. 27.12	1635	X	†			W18-1)				
314C95	OTHER SOLID 3	- 25 - 02		\overline{V}				418-247				
CHAIN OF POSSESSIO	N	Sign/Prior		*-/-		SPECIAL INST	RUCTIO			<u>l</u>	<u> </u>	Matrix *
chinquished By/Removed From Changing by/Removed From chinquished By/Removed From chinquished By/Removed From chinquished By/Removed From chinquished By/Removed From LABORATORY Received By	7 3-15-2///10 New Pite/Time 200 P.C. 3.25-07 Date/Time Date/Time Date/Time	Receipted By/Ston	ed in D ed in D ed in D ed in D	ste/Time ste/Time ste/Time ste/Time ste/Time) O	compounds found.		um level preparation for VO	•	eports.		8=601 SE-Solinam SO-Solid SI-Solinam SO-Solid SI-Solinam SOlid SI-Solid
LABORATORY Received By SECTION	7			Ti	TIG.					Ī	ate/Time	
FINAL SAMPLE Disposal Me DISPOSITION	ethod	<u> </u>		**************************************	<u></u>	Disp	osed By			1	Oate/Time	

Bechtel Hanford Inc. CHAIN OF CUSTODY/S				AMP	LE AN	IALYSIS	RE	QUEST		B99	-093-42	Page 2	of <u>2</u>	
Collector Doug Bowers			ny Contact inia Rohay	Telephor 372-9					ject Coo rdins ENT, SJ	tor P	rice Code	9N	Data Tur	
Project Designation 200-ZP-2 Passive S	oil Vapor Extraction - Other Solid		ng Location West						No. -093	A	ir Quality		45 1	Days
Ice Chest No.	PC-01-06	Field I	ogbook No. 1562-1		COA R20ZP	2DP60			hod of Shipme ederal Express	ent				
Shipped To TMA/RECRA		7	Property No.	020	714	0		BAI	of Lading/Ai	BIII No.	0 OS	PC		ï
radiological con	LE HAZARDS/RRMARKS foriginate in strolled area. No sociated with		Preservation	Cool 4C										
sample/samples Special Handling	- 1	1	Type of Container	aG J	 				!		 			
		:	No. of Container(s) Volume	250mL	┼		_						·	
VOA - \$260A (TCL) (Carbon tetrachloride); Moisture Content - D2216				n.					· · · · · · · · · · · · · · · · · · ·					
Sample No	o. Matrix *	Sample Date	Sample Time											
B14C96	OTHER SOLID	7-24-02	1055	X			wg	-1	53					
B14C97	OTHER SOLID			<u> </u>	<u> </u>						<u> </u>			
B14C98	OTHER SOLID	<u> ~ もなん2</u>	ro		↓					<u> </u>	<u> </u>			
					<u> </u>						<u> </u>		. 	
			_ <u>\</u>	<u> </u>	<u>l</u>							<u> </u>		
Relinquished By/Remove Relinquished By/Remove Relinquished By/Remove Relinquished By/Remove	od From Date/Time Source() 3-25-02 1150 EFF C 3-25-02 1450 od From Date/Time od From Date/Time od From Date/Time	Receiped By/Ston	ad in RThord ad in D ad in D ad in D	ste/Time ste/Time ste/Time ste/Time ste/Time	50 DZ	Laborato compounds i	INSTRUCTIC ry may use media found. ry must include ti	um lev			_		nated	Matrix * s-toil 39-toinest 30-toild 31-tologs W = Water 0-Oil A-Air D9-Drem Solids D1-Drem Liquids VF-Times W5-triped L-Liquid X-Other
LABORATORY SECTION	Received By			T	ile							D	ate/Time	
l	Disposal Method				· · · · · ·		Disposed By						ate/Time	

LIONVILLE LABORATORY INCORPORATED SAMPLE RECEIPT CHECKLIST

CLIENT:

HANFORD

Purchase Order/Project:

DATE: 3/26/02

SAB#/SOW#/Release #: 1399-093

Laboratory SDG #:

02031264

TE:	ALL ENTRIES MARKED "NO" MUST BE E		THE COMM	ENT SECTION	
1.	Custody seals on coolers or shipping container intact, signed and dated?	QXes	□ No	D N/A	D see Corrament #
2.	Outside of coolers or shipping containers are free from damage?	□Xes	□ No	D N/A	D see Correspond#
3.	Airbill # recorded?	Q/res		□ N/A	D see Comment #
4.	All expected paperwork received (coc and other client specific: historical data, alpha/beta or other screening data as applicable)? (paperwork sealed in plastic	Dyes	□ No	□ N/A	D see Comment if
	bag and taped to inside lid)			•	·
5.	Sample containers are intact?	Z Yes	□ No	DNA .	Disce Comment
6.	Custody seals on sample containers intact, signed and dated?	ØYes	□ No	DN/A	D see Comment
7.	All samples on coc received?	E Yes	□ No	D N/A	D see Comment
8.	All sample label information matches coc?	DYG	□ No	DN/A	D see Commen
9.	Laboratory QC samples designated on coc? (QC stickers placed on bottles?)	□ Yes	D/No	D N/A	Base Commen
10.	Shipment meets LvLl Sample Acceptance Policy? (identify all bottles not within policy. See reverse side for policy)	DYES	□ No	□ N/A	D see Commen
11.	Where applicable, bar code labels are affixed to coc?	D Yes	□ No	DNA	□ see Comme
12.	. coc signed and dated?	D es	□ N ₀	□ N/A	D see Comme
13.	. coc faxed or emailed to client?	□ Yes	□ No	DN/A	🗆 see Comme
34.	. Project Manager/Client contacted concerning discrepancies? (name/date)	□ Yes	□ No	D N/A	D see Comme

Cooler # / temp and Comments:

Laboratory Project Manager:



Lionville Laboratory, Inc. INORGANIC ANALYTICAL DATA PACKAGE FOR TNUHANFORD B99-093 H1730

DATE RECEIVED: 03/26	5/02			1	LVL LOT # :0	203L264
CLIENT ID /ANALYSIS	LVL #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
B14C91				X		
% MOISTURE	001	so	02L%S031	03/25/02	04/02/02	04/03/02
<pre>% MOISTURE</pre>	001 REP		02L%S031	03/25/02	04/02/02	04/03/02
% SOLIDS	001		02L%S031	03/25/02	04/02/02	04/03/02
% SOLIDS	001 REP	SO	02L%S031	03/25/02	04/02/02	04/03/02
B14C92						5 4
% MOISTURE	002	so	02L%S031	03/25/02	04/02/02	04/03/02
% SOLIDS	002	SO	02L%S031	03/25/02	04/02/02	04/03/02
B14C93						
% MOISTURE	003	so	02L%S031	03/25/02	04/02/02	04/03/02
% SOLIDS	003		02L%S031	03/25/02	04/02/02	04/03/02
B14C94						
% MOISTURE	004	so	02L%S031	03/25/02	04/02/02	04/03/02
% SOLIDS	004		02L%S031	03/25/02	04/02/02	04/03/02
B14C95						
% MOISTURE	005	so	02L%S031	03/25/02	04/02/02	04/03/02
% SOLIDS	005		02L%S031	03/25/02	04/02/02	04/03/02
B14C96						

SO 02L%S031 03/25/02

SO 02L%S031 03/25/02

04/02/02

04/02/02

04/03/02

04/03/02

% MOISTURE

% SOLIDS

006

006



Analytical Report

Client: TNU-HANFORD B99-093 H1730

W.O.#: 11343-606-001-9999-00

LVL#: 0103L264

Date Received: 03-26-02

INORGANIC NARRATIVE

1. This narrative covers the analyses of 6 solid samples.

- 2. The samples were prepared and analyzed in accordance with the method checked on the attached glossary.
- 3. Sample holding times as required by the method and/or contract were met.
- 4. All results presented in this report are derived form samples that met LvLI's sample acceptance policy.
- 5. The replicate analyses were within the 20% Relative Percent Difference (RPD) control limit.
- 6. I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard copy package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

Iain Daniels

Laboratory Manager

Lionville Laboratory Incorporated

njp\i03- 264

Lionville Laboratory Incorporated

WET CHEMISTRY

METHODS GLOSSARY FOR SOIL/SOLIDS SAMPLE ANALYSIS

	<u>ASTM</u>	<u>SW846</u>	<u>OTHER</u>
% Ash	D2216-80		
% Moisture	√D2216-80		ILMO4.0 (e)
% Solids	D2216-80		ILMO4.0 (e)
% Volatile Solids	D2216-80		- `'
ASTM Extraction in Water	D3987-81/85		
вти	— D240-87		
CEC		9081	c ·
Chromium VI	,	3060A/7196A	
Corrosivity by coupon by pH		1110(mod) 9045C	
Cyanide, Total		9010B	ILMO4.0 (e)
Cyanide, Reactive		Section 7.3/9014	-
Halides, Extractable Organic		9020B	EPA 600/4/84-008
Halides, Total		9020B	EPA 600/4/84-008
EP Toxicity		1310A	
Flash Point		1010	
Ignitability		1010	
Oil & Grease		9071A	
Carbon, Total Organic		9060	_ Lloyd Kahn (mod)
Oxygen Bomb Prep for Anions	D240-87(mod)	5050	
Petroleum Hydrocarbons, Total Re	coverable	9071	EPA 418.1
pH, Soil		9045C	
Sulfide, Reactive		Section 7.3/9030B	
Sulfide		9030B(mod)	
Specific Gravity	D1429-76C/ _	D5057-90	
Sulfur, Total		9056	
Synthetic Preparation Leach		1312	
Paint Filter		9095A	
Other:	Method:	······································	
Other:	Method		

Lionville Laboratory Incorporated

METHOD REFERENCES AND DATA QUALIFIERS

DATA QUALIFIERS

- U = Indicates that the parameter was not detected at or above the reported limit. The associated numerical value is the sample detection limit.
- * = Indicates that the original sample result is greater than 4x the spike amount added.

ABBREVIATIONS

MB = Method or Preparation Blank.

MS = Matrix Spike.

MSD = Matrix Spike Duplicate.

REP = Sample Replicate

LC = Laboratory Control Sample.

NC = Not calculated.

A suffix of -R, -S, or -T following these codes indicate a replicate, spike or sample duplicate analysis respectively.

ANALYTICAL WET CHEMISTRY METHODS

- ASTM Standard Methods.
- 2. USEPA Methods for Chemical Analysis of Water and Wastes (USEPA 600/4-79-020).
- 3. Test Methods for Evaluating Solid Waste (USEPA SW-846).
- a. Standard Methods for the Examination of Water and Waste, 16 ed, (1983).
- b. Standard Methods for the Examination of Water and Waste, 17 ed, (1989)/18ed (1992).
- c. <u>Method of Soil Analysis</u>, Part 1, Physical and Mineralogical Methods, 2nd ed, (1986).
- d. <u>Method of Soil Analysis</u>, Part 2, Chemical and Microbiological Properties, Am. Soc. Agron., Madison, WI (1965).
- e. USEPA Contract Laboratory Program, Statement of Work for Inorganic Analysis.
- f. Code of Federal Regulations.

Lionville Laboratory, Inc.

INORGANICS DATA SUMMARY REPORT 04/03/02

CLIENT: TNUHANFORD B99-093 H1730 WORK ORDER: 11343-606-001-9999-00 LVL LOT #: 0203L264

					REPORTING	DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	LIMIT	FACTOR
	********	**********	*****		*********	
-001	B14C91	* Moisture	26.8	•	0.01	1.0
		% Solids	73.2	•	0.01	1.0
-002	B14C92	* Moisture	38.1	•	0.01	1.0
		% Solids	61.9	*	0.01	1.0
-003	B14C93	* Moisture	39.5	•	0.01	1.0
		* Solids	60.5	•	0.01	1.0
-004	B14C94	* Moisture	18.0	•	0.01	1.0
		% Solids	82.0	•	0.01	1.0
-005	B14C95	% Moisture	4.2		0.01	1.0
		% Solids	95.8	•	0.01	1.0
-006	B14C96	* Moisture	37.6	•	0.01	1.0
		% Solids	62.4	•	0.01	1.0

ָּ ק

Lionville Laboratory, Inc.

INORGANICS PRECISION REPORT 04/03/02

CLIENT: TNUHANFORD B99-093 H1730

LVL LOT #: 0203L264

WORK ORDER: 11343-606-001-9999-00

				INITIAL			DILUTION
SAI	MPLE	SITE ID	ANALYTE	result	REPLICATE	RPD	Factor (RBP)

-00	01RBP	B14C91	% Moisture	26.8	26.B	0.15	1.0
			% Solide	73.2	73.2	0.055	1.0

Lionville	Laboratory	Use	Only

02031264

Custody Transfer Record/Lab Work Request Page 1 of 1

PIELD PERSONNEL: COMPLETE ONLY SHADED AREAS



Cilera	AUL		SAETER	9-093	123			Refrige	rator #		T]]				 					
Est. Mari			**************************************	101 24		(A)		#Type	Container	Liquid	7	$\frac{2}{\Lambda}$		e cara		X	12		S. Julia			(g)			
Project #_		·罗·森克斯亚尔克克斯·罗尔				80				Bold	VAL-									<i>7</i> 00				iest)	
Project for		e Wite					12.1	Volum	•	Littled	***	DELVE.		4. j. 3.		50 V N									
		100.00			, idea	34.		Drawer	vatives	Sold	154					DE I	7							area Stead	507841
										10.34	Sec. 1	ORG	ANIC	M .4	100			INC	DAG			1 (4 6 7)			
Date Rec'd	3-	-26-02	Date Du	. ,	f - 25-	٥L		REQU		-	ğ	BNA	Pest/	erb				ਭ	3					*	O-dust.
MATRICE .							trix				-		<u> </u>	 			me L	i ≥	l	e Only	A Salar Cal	1	(a-1912) 15 (a-1	e serve e	[230]
COCKE	ليا ا	,			ay amagala	J@	C	 	Date	Time	1× 1× 1× 1× 1× 1× 1× 1× 1× 1× 1× 1× 1× 1											_			
S - Sedime	*	1	Giorg MADO	cription			1	Metrix	Collected	Collected	12.5									1		,			
SO - Solid SL - Skudge			A 22			MS	MSD				8 4														
W - Water O - Oil A - Air	20/		fC91_	Marie Co	1000		7	20	345-0	1010	11	14.6		13		1	(20 (2) (1) (3)								
DS - Drum Solida	202	<u> </u>	<u> 92</u>			24.4 m	1900	300		1020	Ľ	70		. 籍, 台										7	
DL - Drum Uquida	OC.	100 Table 10	93			ns day	X. //			1025	1.	A. Hill			, ,		100	1 7 5 8 44 v	700 d No. 400			وي در المرود			
L EP/TCL	e loos	-	<u> </u>							1635				٧.	35.					7					
Wi - Wipe X - Other	<i>0</i> 22		95	2.6						1045	6	je,	14.		1.00			W-92		100					
F Fish	00	نائد ا	-96			AGE P	6.		GE SOF	1087	į.	0.5	18.E	9	14.74	7.0	7.1					a.	1.00		
	-		a a a a a a a a a a a a a a a a a a a		Mercel .		43.		(\$1.38)	71.45				4 14	W. 14			None.		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	- 15 A	90.3			
	- J							12.	1.04	D. 40	120			* 2	* 210	V 4		1200		l'arra				3	
	-			AC MATCH			eries Personal							13			£	20.5		100				*	
			AF # B	00.00			DATE	REVISIO	MG.	7.7			, (-)	A.		\$		* **							
Special Insti				44-043					1									-		Lionvii	le Lebo			· ·	
Volt	- Car	bon Teti	rachbride						··				,						amples Shippe	were:	or	Tan 1)	per Resi Presenj	on Ou	al wes: der
									3										and De irbill #	ivered .		Pa	ckage ` Unbrok	Y or	N
		^	AA 1	۸.									•					کے ا چہا	red.	Bef		Pa	ckage (y) o⊤	N
ļ		Ru	m Matrix	ac					· —									- 1 '		intor Šila Med in G	-	3)	Present		mple N
				^					5	<u> </u>								- [c	ondition	10 O		4)	Unbrok mple (•	1
Belinquis	hed	Receive	<u> </u>		Bal	lingula	hed	T	6	* 			==	<u> </u>					Sampl roperty	Preserv			mple () XC Rec		
100		þγ	2 Dette	Time		by			by	-ORIG	ate 2 PAL	Tin	NO		repanci ples La			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Da	<i>₩</i> α		Up	on San	ıplq Re	ic't
tel go		De S	5 32602	1145		C	<u>OM</u>	posn	E				_]		Recor				olding 1			Co	oler ,	7 01 4	
"	- 1						W/	SIE		REW	NIT.			1		02	06	47	109	€/ or	N	Te	пр		.*C

Bechtel Hanford Inc.			CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST								B99-093-42 Pugo 1 of 2					
Collector Doug Bowers			my Contact inia Rohay	Telepho 372-9	ne No.	Project Coordinator TRENT, SJ				Price Code 9N Data			a Turnaround			
Project Designation 200-ZP-2 Passive Soil Vapor Extraction - Other Solid			ing Location West			SAF No. 1999-093					y 🗆 45 I		Days			
Ice Chest No. ERC-01-663			Field Logbook No. CO EL-1562-1 R20:				OA Method of Ship 0ZP2DP60 Federal Expr									
Shipped Po TMA/RECRA			Offsite Property No. A 62014				4 O Bill of Lading/A				SPP OSM					
POSSELL SACTE HAZA Samples did not originate radiological controlled as total activity associated v	rea. No		Preservation	Cool 4C												
sample/samples. Special Handling and/or :	21		Type of Container	₃G I		-					<u> </u>					
			No. of Container(s) Volume	250mL			-									
	SAMPLE ANALYS	as		VQA - E260A (TCL) (Carbos tetrachioride); Moisture Content - D2216												
Sample No.	Matrix *	Sample Date	Sample Time													
B14C91	OTHER SOLID 3	-75-07	1010	X_i				W19-6								
B14C92	OTHER SOLID }	. 712-03	joan	χ				W18-7								
B14C93	OTHER SOLID }	121.02	1025	人人				W1840								
B14C94	OTHER SOLID }	· 71.89	1635	_ X				W18-1)								
B14C95	OTHER SOLID 3	- 25 .02	1545	Y	1			Wa-2	17							
CHAIN OF POSSESSIO		Sign/Print				CIAL INSTR		NS	, –				Matrix *			
Relinquished By/Removed Prom Date/Time 200 Received By/Stored in Date/Time Received By/Store									_		enated.	3-Soil 29-Soliman. 30-Solid 29-Solid 29-Solid ArAb: D8-Otum Solid: D8-Otum Solid: D8-Otum Lipsin TwTines WE-Wipe L-Lipsid V-Vapatation 30-Other				
LABORATORY Received By SECTION	,			Ti	tie						E	ote/Time	<u> </u>			
FINAL SAMPLE Disposal Mo DISPOSITION	ethod					Dispo	sed By	-]	Date/Time				

Bechtel Hanford Inc.			HAIN OF CUST		B99-093-42 Page 2 of 2										
Collector Doug Bowers		Compe Virg	stry Contact ginia Rohay		Project Coordinator TRENT, SJ			Price Code 9N		Data Tu	naround				
Project Designation 200-ZP-2 Passive Soil Vap	or Extraction - Other Solid		Sampling Location SAF No. 200 West B99-093								Air Quality [] 45			5 Days	
Ice Chest No. ER	2-01-06	3 Fleid I	ogbook No. 1562-1	COA R20ZP2	DA Method 0ZP2DP60 Feder			lethod of Shipment Federal Express							
Shipped To TMA/RECRA		1	Property No.	020140				Bill of Lading/Air Bill No. SEE OSPC							
POSCIBLE SAMPLE HAZ Samples did not origine radiological controlled total activity associated	area. No		Preservation	Coal 4C						-					
sample/samples. Special Handling and/o	4-1		Type of Container	#G											
			No. of Container(s)	250mL											
		· · · · · · · · · · · · · · · · · · ·	Volume	VOA - \$269/		_	┼					<u> </u>			
	ysis		(TCL) (Carbo tetrachloride) Moisture Content - D2216												
Sample No.	Matrix *	Sample Date	Sample Time												
B14C96	OTHER SOLID	7-24-02	1055	X		·	wk	-1	52						
814C97	OTHER SOLID			1			1								
814C98	OTHER SOLID	一となん	ito												
					}						 				
CHAIN OF POSSESS		Sign/Prim				PCTAT INCH	T. T.	,, 11J					<u> </u>	Matrix *	
			LINORE	3 · 25	∠] ∞	'Laboratory may repounds found. 'Laboratory mus						any other halogo	mated	\$=600] SD=Sediment	
THE PARTY OF THE P	ERC 3250	Reserved By/Stee	Jay "	ate/Time				- •				-		SO-Solid SI-Chelgo W = Water O-Oil	
	Dute/Time 3-26-02 1140		10can 3:26	ete/Time	10									A-Adir DS-Drum Solids DL-Drum Ligalds	
Relinquished By/Removed From	Date/Time	Received By/Stor	ed in	ate/Time										T-Tinnus Wi-Wipe	
Relinquished By/Removed From	Deto/Time	Received By/Stor	ed In D	ate/Time	_									L=Liquid V=Vegetation X=Other	
Relinquished By/Removed From	Date/Time	Received By/Stor	ed in D	ate/Time											
LABORATORY Received SECTION	Ву			T	itle						· · · · · ·	I	ate/Time	1	
FINAL SAMPLE Disposal DISPOSITION	Method	·		···		Dis	posed By					1	Date/Time		
BUI 55 044 (02/04/04/02									 -						

LIONVILLE LABORATORY INCORPORATED SAMPLE RECEIPT CHECKLIST

CLIENT:

HANFORD

Purchase Order/Project:

DATE: 3/26/02

SAB# / SOW# / Release #: 1399-093

Laboratory SDG #:

02031264

VOTE:	ALL ENTRIES MARKED "NO" MUST BE E	XPLAINED II	THE COMM	ENT SECTION	
1.	Custody seals on coolers or shipping container intact, signed and dated?	DX es	□ N ₀	□ N/A	D see Corrament #
2.	Outside of coolers or shipping containers are free from damage?	D) X es	□ No	D N/A	Disec Comment #
3.	Airbill # recorded?	∀ Yes	□ No	□ N/A	D see Comment #
4.	All expected paperwork received (coc and other client specific: historical data, alpha/beta or other screening data as	D.X.	□ No	□ N/A	🛘 see Comment ii
	applicable)? (paperwork sealed in plastic bag and taped to inside lid)		·		
5.	Sample containers are intact?	Z Yey	□ No	DN/A	D set Comment #
6.	Custody seals on sample containers intact, signed and dated?	D Yes	□ №	D N/A	in see Comment #
7.	All samples on coc received?	E Yes	D No	□ N/A	D see Comment #
8.	All sample label information matches coc?	D/es	□ No	□ N/A .	see Comment #
9.	Laboratory QC samples designated on coc? (QC stickers placed on bottles?)	D Yes	DANO.	□ N/A	D see Comment #
10.	Shipment meets LvLl Sample Acceptance Policy? (identify all bottles not within policy. See reverse side for policy)	D Ves	□ No	□ N/A	Ö see Comment #
11	. Where applicable, bar code labels are affixed to coc?	□ Yes	□ No	DMA	□ see Comment #
12	. coc signed and dated?	D.Yes	□ No	□ N/A	D see Comment #
13	. coc faxed or emailed to client?	□ Yes	D No	D N/A	See Comment #
14	. Project Manager/Client contacted concerning discrepancies? (name/date)	□ Yes	□ No	DN/A	D see Comment i

Cooler # / temp and Comments: